

**Cc:** Restivo, Angela[Restivo.Angela@epa.gov]; Webster, Susan[webster.susan@epa.gov]; Rauscher, Jon[Rauscher.Jon@epa.gov]; Hayes, Mark[hayes.mark@epa.gov]; Petersen, Chris[petersen.chris@epa.gov]  
**To:** Foster, Althea[Foster.Althea@epa.gov]  
**From:** Crossland, Ronnie  
**Sent:** Fri 8/7/2015 8:23:39 PM  
**Subject:** Fwd: water quality parameters  
[ATT00001.htm](#)

Sent from my iPad

Begin forwarded message:

**From:** "Coleman, Sam" <[Coleman.Sam@epa.gov](mailto:Coleman.Sam@epa.gov)>  
**Date:** August 7, 2015 at 3:20:59 PM CDT  
**To:** "Crossland, Ronnie" <[Crossland.Ronnie@epa.gov](mailto:Crossland.Ronnie@epa.gov)>, "Edlund, Carl" <[Edlund.Carl@epa.gov](mailto:Edlund.Carl@epa.gov)>, "Phillips, Pam" <[phillips.pam@epa.gov](mailto:phillips.pam@epa.gov)>  
**Subject:** FW: water quality parameters

Samuel Coleman, P.E.  
Deputy Regional Administrator  
Region 6  
[coleman.sam@epa.gov](mailto:coleman.sam@epa.gov)  
214.665.2100 Ofc  
214.665.3110 Direct  
214.789.2016 Cell  
Sent from my Windows Phone

---

**From:** [Card, Joan](#)  
**Sent:** 8/7/2015 3:20 PM  
**To:** [Blumenfeld, Jared](#); [Strauss, Alexis](#); [Curry, Ron](#); [Coleman, Sam](#); [Gray, David](#); [Kao, Jessica](#)  
**Subject:** FW: water quality parameters

**From:** Hestmark, Martin  
**Sent:** Friday, August 07, 2015 1:22 PM  
**To:** McComb, Martin; Card, Joan  
**Subject:** FW: water quality parameters

Limited but informative. Get ready to post. Joan you have any concerns?

**From:** McComb, Martin  
**Sent:** Friday, August 07, 2015 11:58 AM  
**To:** Hestmark, Martin  
**Subject:** Fwd: water quality parameters

Sent from my iPhone

Begin forwarded message:

**From:** "Wall, Dan" <[wall.dan@epa.gov](mailto:wall.dan@epa.gov)>  
**Date:** August 7, 2015 at 11:51:40 AM MDT  
**To:** "McComb, Martin" <[McComb.Martin@epa.gov](mailto:McComb.Martin@epa.gov)>  
**Cc:** "McKean, Deborah" <[mckean.deborah@epa.gov](mailto:mckean.deborah@epa.gov)>, "[john.west@westonsolutions.com](mailto:john.west@westonsolutions.com)" <[john.west@westonsolutions.com](mailto:john.west@westonsolutions.com)>, "[molly.patterson@westonsolutions.com](mailto:molly.patterson@westonsolutions.com)" <[molly.patterson@westonsolutions.com](mailto:molly.patterson@westonsolutions.com)>  
**Subject:** water quality parameters

Marty, this is all the water quality parameters we have collected so far. Parts of these results should correspond to dissolved metals data you just received.

We are working to get coordinates for the water intakes we sampled yesterday (Durango, Aztec and Farmington). The other coordinates from the water sampling should be in SCRIBE.

Dan